




AMENDMENTS TO THE CLAIMS


1. (Previously presented): A compound of formula (I):




where A is an *ortho*-substituted ring selected from formulae (A1) to (A22);




(A2)




(A3)




(A4)




(A5)




(A6)




(A7)




(A8)




(A9)




(A10)




(A11)




(A12)




(A13)




(A14)




(A15)




(A16)




(A17)




(A18)




(A19)



(A20)



(A21)



(A22)

Q is a single or a double bond; X is O, N(R¹⁸), S or (CR¹⁹R²⁰)(CR²¹R²²)_m(CR²³R²⁴)_n; R¹ is halogen, cyano, nitro, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy or optionally substituted C₂₋₄ alkenyl, optionally substituted C₂₋₄ alkynyl or optionally substituted SO₂(C₁₋₄)alkyl (where the optionally substituted moieties may each have up to 3 substituents, each independently selected from halogen and C₁₋₄ alkoxy); R² is C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy(C₁₋₄)alkyl or C₁₋₄ alkylthio(C₁₋₄)alkyl or optionally substituted aryl (C₁₋₄)alkyl- or optionally substituted aryl oxy(C₁₋₄)alkyl- (where the optionally substituted aryl moieties may each have up to 3 substituents, each

independently selected from halogen and C₁₋₄ alkoxy); R³ is hydrogen, CH₂C≡CR⁴, CH₂CR⁴=C(H)R⁴, CH=C=CH₂ or COR⁵ or optionally substituted C₁₋₄ alkyl, optionally substituted C₁₋₄ alkoxy or optionally substituted (C₁₋₄) alkylC(=O)O (where the optionally substituted moieties may each have up to 3 substituents, each independently selected from halogen, C₁₋₄ alkoxy, C₁₋₄ alkyl, C₁₋₂ haloalkoxy, hydroxy, cyano, carboxyl, methoxycarbonyl, ethoxycarbonyl, methylsulfonyl and ethylsulfonyl); each R⁴ is, independently, hydrogen, halogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy or C₁₋₄ alkoxy(C₁₋₄)alkyl; R⁵ is hydrogen or optionally substituted C₁₋₆ alkyl, optionally substituted C₁₋₄ alkoxy, optionally substituted C₁₋₄ alkoxy(C₁₋₄)alkyl, optionally substituted C₁₋₄ alkylthio(C₁₋₄)alkyl or optionally substituted aryl (where the optionally substituted moieties may each have up to 3 substituents, each independently selected from halogen, C₁₋₆ alkoxy, C₁₋₆ haloalkoxy, cyano, hydroxy, methoxycarbonyl and ethoxycarbonyl); R⁶ is

i) phenyl optionally substituted by up to 3 substituents, each independently selected from halogen, cyano, nitro, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ haloalkylthio, C(H)=N-OH, C(H)=N-O-(C₁₋₆ alkyl), C(C₁₋₆ alkyl)=N-OH, C(C₁₋₆ alkyl)=N-O-(C₁₋₆ alkyl), (Z)pC≡CR₂₅²⁶ and (Z)pCR₂₅=CR₂₆R₂₇, (Z)₁₀C≡CR₂₅²⁶ and (Z)₁₀CR₂₅²⁶R₂₇.

ii) a 5-6 membered heterocyclic ring in which the ring contains 1 to 3 heteroatoms (each independently chosen from oxygen, sulphur and nitrogen) and the ring is optionally substituted by up to 3 substituents, each independently selected from halogen, cyano, nitro, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C(H)=N-O-(C₁₋₆ alkyl) and C(C₁₋₆ alkyl)=N-O-(C₁₋₆ alkyl);

iii) C₃₋₁₂ alkyl optionally substituted by up to six substituents, each independently selected from halogen, cyano, C₁₋₄ alkoxy, C₁₋₄ thioalkyl, COO-C₁₋₄ alkyl, =N-OH, =N-O-(C₁₋₄ alkyl), C₃₋₈ cycloalkyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy) and C₄₋₈ cycloalkenyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy);

iv) C₂₋₁₂ alkenyl optionally substituted by up to 6 substituents, each independently selected from halogen, cyano, C₁₋₄ alkoxy, C₁₋₄ thioalkyl, COO-(C₁₋₄ alkyl), =N-OH, =N-O-(C₁₋₄ alkyl), C₃₋₈ cycloalkyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy) and C₄₋₈ cycloalkenyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy);

viiv) C₂₋₁₂ alkynyl optionally substituted by up to 6 substituents, each independently selected from halogen, cyano, C₁₋₄ alkoxy, C₁₋₄ thioalkyl, COO-C₁₋₄ alkyl, =N-OH, =H-O-(C₁₋₄ alkyl), C₃₋₈ cycloalkyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy), Si(CH₃)₃ and C₄₋₈ cycloalkenyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy);

vj) C₃₋₈ cycloalkyl optionally substituted by up to 3 substituents, each independently selected from halogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ thioalkyl, C₃₋₆ cycloalkyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy) and phenyl (itself optionally substituted by up to five independently selected halogen atoms);

vij) C₄₋₈ cycloalkenyl optionally substituted by up to 3 substituents, each independently selected from halogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ thioalkyl, C₃₋₆ cycloalkyl (itself optionally substituted by up to 3 substituents, each independently selected from C₁₋₄ alkyl, halogen, C₁₋₄ alkoxy and C₁₋₄ haloalkoxy) and phenyl (itself optionally substituted by up to five independently selected halogen atoms);

viii) C₆₋₁₂ bicycloalkyl optionally substituted by up to 3 substituents, each independently selected from halogen, C₁₋₄ alkyl and C₁₋₄ haloalkyl; or

ixviii) an aliphatic, saturated or unsaturated group in which the group contains three to thirteen carbon atoms and at least one silicon atom and, optionally, one to three heteroatoms, each independently selected from oxygen, nitrogen and sulphur, and the group is optionally substituted by up to four independently selected halogen atoms;

R⁷, R⁸, R⁹, R¹⁰, R¹¹ and R¹² are each, independently, hydrogen, halogen, cyano, nitro, C₁₋₄ alkyl, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ thioalkyl or C₁₋₄ thiohaloalkyl; R¹³, R¹⁴, R¹⁵, R¹⁶ and R¹⁷ are each, independently, hydrogen, halogen, C₁₋₄ alkyl, C(O)CH₃, C₁₋₄ haloalkyl, C₁₋₄ alkoxy, C₁₋₄ haloalkoxy, C₁₋₄ thioalkyl, C₁₋₄ thiohaloalkyl, hydroxymethyl or C₁-alkoxymethyl; R¹⁸ is hydrogen, C₁₋₄ alkyl, C₁₋₄ alkoxy(C₁₋₄)alkyl, formyl, C(=O)C₁₋₄ alkyl (optionally substituted by halogen or C₁₋₄ alkoxy) or C(=O)O-C₁₋₆ alkyl (optionally substituted by halogen, C₁₋₄ alkoxy or CN); R¹⁹, R²⁰,

R^{21} , R^{22} , R^{23} and R^{24} are each, independently, C_{1-6} alkyl, C_{1-6} alkenyl {both optionally substituted by halogen, hydroxy, =O, C_{1-4} alkoxy, O-C(O)- C_{1-4} alkyl, aryl or a 3-7 membered carbocyclic ring (itself optionally substituted by up to three methyl groups)}, a 3-7 membered carbocyclic ring (optionally substituted by up to three methyl groups and optionally containing one heteroatom selected from nitrogen and oxygen), hydrogen, halogen, hydroxy or C_{1-4} alkoxy; or $R^{19}R^{20}$ together with the carbon atom to which they are attached form a carbonyl-group, a 3-5 membered carbocyclic ring (optionally substituted by up to three methyl groups), C_{1-6} alkylidene (optionally substituted by up to three methyl groups) or C_{3-6} cycloalkylidene (optionally substituted by up to three methyl groups); R^{25} is hydrogen, halogen, C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} alkoxy(C_{1-4})alkyl, C_{1-4} haloalkoxy(C_{1-4})alkyl or Si(C_{1-4} alkyl)₃; R^{26} and R^{27} are each, independently, hydrogen, halogen, C_{1-4} alkyl or C_{1-4} haloalkyl; R^{28} is hydrogen, C_{1-4} alkyl or C_{1-4} haloalkyl; m is 0 or 1; n is 0 or 1; p is 0 or 1; and Z is C_{1-4} alkylene.

Claim 2. (Previously presented): A compound of formula (I) according to claim 1, where A is selected from formulae (A1), (A2), (A3), (A16), (A17), (A18), (A19), (A20) and (A22).

Claim 3. (Previously presented): A compound of formula (I) according to claim 1, where R^1 is C_{1-4} alkyl, C_{1-4} haloalkyl, NO_2 , CN or OCF_3 .

Claim 4. (Previously presented): A compound of formula (I) according to claim 1, where R^2 is C_{1-4} alkyl, C_{1-4} haloalkyl, C_{1-4} alkoxy(C_{1-4})alkyl or C_{1-4} alkylthio(C_{1-4})alkyl.

Claim 5. (Previously presented): A compound of formula (I) according to claim 1, where R^3 is hydrogen, $CH_2C\equiv CR^4$, $CH_2CR^4=C(H)R^4$, $CH=C=CH_2$ or COR^5 .

Claim 6. (Canceled)

Claim 7. (Canceled)

Claim 8. (Previously presented): A composition comprising a compound of formula (I) according to claim 1, together with a suitable carrier.

Claim 9. (Previously presented): A method of controlling or preventing infestation of cultivated plants by fungi by application of a compound of formula (I) according to claim 1, to plants, to parts thereof or the locus thereof.